

Maternal & Child Health Services Annual Report

2014-2015

Statewide

Run date: this report is current as of 10/11/2015 and is subject to change.

General Enrolment Details

Statewide

Number of New Enrolments

| | | Number Enrolled from | Number Enrolled from | | | | E T. | |
|------------------------|--|-------------------------------|--------------------------------|-----------------------|-----------------------|----------------------------|---------|-----------------------|
| Region | Total number of Birth Notifications | Birth Notifications This Year | Birth Notifications Last Year | Drawer 1 2014/2015 | Drawer 2 2013/2014 | Drawer 3 to 6 2009/2013 | Total | First Time Mothers |
| North-Eastern Victoria | 15,114 | 14,323 | 346 | 15,756 | 1,846 | 2,873 | 20,475 | 6,880 |
| North-Western Victoria | 18,079 | 16,656 | 578 | 18,915 | 2,160 | 2,719 | 23,794 | 8,315 |
| South-Eastern Victoria | 22,133 | 21,010 | 579 | 23,243 | 2,911 | 5,185 | 31,339 | 9,985 |
| South-Western Victoria | 22,342 | 20,880 | 552 | 23,308 | 2,660 | 3,701 | 29,669 | 10,071 |
| Total for Victoria | 77,668 | 72,869 | 2,055 | 81,222 | 9,577 | 14,478 | 105,277 | 35,251 |

Note: "Drawer" defines age groups of children. For example, "Drawer 1" represents "0-1 year old", "Drawer 2" represents "1-2 year old", "Drawer 3 to 6" represents "2-6 year old".

[&]quot;First Time Mothers" includes those mothers who have their first baby and are enrolled in the current financial year.

Number of Active Child Record Cards Compared with Transfers Out and Total Child Record Cards

Statewide

| | _ | Orawer 014/201 | - | _ | Orawer 013/201 | _ | | Orawer 3 012/201 | - | _ |)rawer)11/201 | - | _ |)rawer)10/201 | - | | rawer 09/201 | - | | Totals | |
|------------------------|--------|-------------------|--------|--------|-------------------|--------|--------|---------------------|--------|--------|-------------------|--------|--------|-------------------|--------|----------|-----------------|--------|---------|--------|---------|
| Region | Active | Trans. | Total | Active | Trans. | Total | Active | Trans. | Total | Active | Trans. | Total | Active | Trans. | Total | Active - | Trans. | Total | Active | Trans. | Total |
| North-Eastern Victoria | 14,757 | 999 | 14,757 | 14,358 | 1,283 | 15,299 | 13,346 | 1,115 | 15,897 | 5,669 | 740 | 15,685 | 7,960 | 711 | 15,818 | 565 | 210 | 16,013 | 56,655 | 5,058 | 93,469 |
| North-Western Victoria | 17,457 | 1,458 | 17,457 | 16,766 | 1,660 | 18,376 | 13,874 | 1,307 | 17,941 | 5,786 | 802 | 17,577 | 8,527 | 757 | 17,182 | 813 | 156 | 17,189 | 63,223 | 6,140 | 105,722 |
| South-Eastern Victoria | 21,754 | 1,489 | 21,754 | 20,904 | 2,023 | 22,613 | 17,961 | 1,754 | 22,708 | 7,555 | 1,233 | 22,457 | 10,217 | 1,128 | 22,049 | 899 | 445 | 22,246 | 79,290 | 8,072 | 133,827 |
| South-Western Victoria | 21,644 | 1,664 | 21,644 | 20,017 | 1,896 | 22,262 | 16,767 | 1,456 | 22,581 | 6,725 | 836 | 21,851 | 9,811 | 850 | 21,181 | 832 | 89 | 21,283 | 75,796 | 6,791 | 130,802 |
| Total for Victoria | 75,612 | 5,610 | 75,612 | 72,045 | 6,862 | 78,550 | 61,948 | 5,632 | 79,127 | 25,735 | 3,611 | 77,570 | 36,515 | 3,446 | 76,230 | 3,109 | 900 | 76,731 | 274,964 | 26,061 | 463,820 |

Note: "Active" is defined as a child having attended the Maternal & Child Health Service at least once during the financial year.

[&]quot;Record cards" or "Record" refers to individual child health history.

Non-Enrolled Birth Notifications

| Region | Attending other Centres within Municipality | Attending other Centres outside Municipality | Death occurred within 1 month | Stillbirth | Anticipated Enrolments | Other | Total |
|------------------------|---|--|-------------------------------|------------|---------------------------|-------|-------|
| North-Eastern Victoria | 36 | 150 | 29 | 87 | 451 | 38 | 791 |
| North-Western Victoria | 59 | 558 | 19 | 121 | 628 | 38 | 1,423 |
| South-Eastern Victoria | 37 | 220 | 42 | 127 | 613 | 84 | 1,123 |
| South-Western Victoria | 13 | 562 | 48 | 147 | 605 | 87 | 1,462 |
| Total for Victoria | 145 | 1,490 | 138 | 482 | 2,297 | 247 | 4,799 |

Total Count of Key Ages & Stages Consultations (Non-ATSI and ATSI)

Statewide

| Region | Home Consultation | 2 Weeks | 4 Weeks | 8 Weeks | 4 Months | 8 Months | 12 Months | 18 Months | 2 Years | 3.5 Years | Total |
|------------------------|----------------------|---------|---------|---------|----------|----------|-----------|-----------|---------|-----------|---------|
| North-Eastern Victoria | 14,893 | 14,480 | 14,522 | 14,319 | 14,182 | 13,483 | 13,074 | 12,478 | 12,570 | 10,797 | 134,798 |
| North-Western Victoria | 17,693 | 17,096 | 17,026 | 16,903 | 16,680 | 15,786 | 15,116 | 13,598 | 13,229 | 12,058 | 155,185 |
| South-Eastern Victoria | 21,905 | 21,317 | 21,160 | 20,969 | 20,531 | 19,275 | 18,630 | 16,966 | 16,551 | 14,372 | 191,676 |
| South-Western Victoria | 21,774 | 20,777 | 20,758 | 20,567 | 20,005 | 18,077 | 17,439 | 16,073 | 15,291 | 13,615 | 184,376 |
| Total for Victoria | 76,265 | 73,670 | 73,466 | 72,758 | 71,398 | 66,621 | 64,259 | 59,115 | 57,641 | 50,842 | 666,035 |

Count of Key Ages & Stages Consultations (ATSI)

Statewide

| Region | Home Consultation | 2 Weeks | 4 Weeks | 8 Weeks | 4 Months | 8 Months | 12 Months | 18 Months | 2 Years | 3.5 Years | Total |
|------------------------|----------------------|---------|---------|---------|----------|----------|-----------|-----------|---------|-----------|-------|
| North-Eastern Victoria | 240 | 217 | 229 | 219 | 211 | 190 | 165 | 152 | 144 | 117 | 1,884 |
| North-Western Victoria | 359 | 321 | 311 | 298 | 284 | 221 | 209 | 184 | 193 | 153 | 2,533 |
| South-Eastern Victoria | 273 | 257 | 251 | 237 | 236 | 220 | 227 | 181 | 160 | 140 | 2,182 |
| South-Western Victoria | 299 | 248 | 238 | 249 | 230 | 197 | 203 | 174 | 172 | 146 | 2,156 |
| Total for Victoria | 1,171 | 1,043 | 1,029 | 1,003 | 961 | 828 | 804 | 691 | 669 | 556 | 8,755 |

Count of Key Ages & Stages Consultations (Non-ATSI)

| Region | Home Consultation | 2 Weeks | 4 Weeks | 8 Weeks | 4 Months | 8 Months | 12 Months | 18 Months | 2 Years | 3.5 Years | Total |
|------------------------|----------------------|---------|---------|---------|----------|----------|-----------|-----------|---------|-----------|---------|
| North-Eastern Victoria | 14,653 | 14,263 | 14,293 | 14,100 | 13,971 | 13,293 | 12,909 | 12,326 | 12,426 | 10,680 | 132,914 |
| North-Western Victoria | 17,334 | 16,775 | 16,715 | 16,605 | 16,396 | 15,565 | 14,907 | 13,414 | 13,036 | 11,905 | 152,652 |
| South-Eastern Victoria | 21,632 | 21,060 | 20,909 | 20,732 | 20,295 | 19,055 | 18,403 | 16,785 | 16,391 | 14,232 | 189,494 |
| South-Western Victoria | 21,475 | 20,529 | 20,520 | 20,318 | 19,775 | 17,880 | 17,236 | 15,899 | 15,119 | 13,469 | 182,220 |
| Total for Victoria | 75,094 | 72,627 | 72,437 | 71,755 | 70,437 | 65,793 | 63,455 | 58,424 | 56,972 | 50,286 | 657,280 |

Total Participation Rates for Key Ages and Stages Consultations (Non-ATSI and ATSI)

Statewide

| Region | Home Consultation % | 2 Weeks % | 4 Weeks % | 8 Weeks % | 4 Months % | 8 Months % | 12 Months % | 18 Months % | 2 Years % | 3.5 Years % |
|------------------------|---------------------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|--------------|----------------|
| North-Eastern Victoria | 100.9 | 98.1 | 98.4 | 97.0 | 96.1 | 89.7 | 87.0 | 80.0 | 79.1 | 68.5 |
| North-Western Victoria | 101.4 | 97.9 | 97.5 | 96.8 | 95.5 | 88.1 | 84.4 | 74.9 | 73.7 | 69.4 |
| South-Eastern Victoria | 100.7 | 98.0 | 97.3 | 96.4 | 94.4 | 86.9 | 84.0 | 74.9 | 72.9 | 64.6 |
| South-Western Victoria | 100.6 | 96.0 | 95.9 | 95.0 | 92.4 | 82.3 | 79.4 | 71.7 | 67.7 | 63.3 |
| Total for Victoria | 100.9 | 97.4 | 97.2 | 96.2 | 94.4 | 86.4 | 83.4 | 75.0 | 72.8 | 66.1 |

Participation Rates for Key Ages and Stages Consultations (ATSI)

Statewide

| Region | Home Consultation % | 2 Weeks % | 4 Weeks % | 8 Weeks % | 4 Months % | 8 Months % | 12 Months % | 18 Months % | 2 Years % | 3.5 Years % |
|------------------------|---------------------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|--------------|----------------|
| North-Eastern Victoria | 99.6 | 90.0 | 95.0 | 90.9 | 87.6 | 81.7 | 71.0 | 66.7 | 62.1 | 54.0 |
| North-Western Victoria | 94.7 | 84.7 | 82.1 | 78.6 | 74.9 | 61.0 | 57.7 | 50.8 | 50.9 | 47.1 |
| South-Eastern Victoria | 94.8 | 89.2 | 87.2 | 82.3 | 81.9 | 71.7 | 73.9 | 59.4 | 56.5 | 51.9 |
| South-Western Victoria | 96.1 | 79.7 | 76.5 | 80.1 | 74.0 | 63.9 | 65.8 | 56.3 | 55.1 | 53.3 |
| Total for Victoria | 96.1 | 85.6 | 84.4 | 82.3 | 78.8 | 68.4 | 66.4 | 57.4 | 55.5 | 51.2 |

Note: "ATSI" refers to a person self-reporting as being of Aboriginal and/or Torres Strait Islander origin.

When analysing ATSI Key Ages and Stages participation rates, we recommend strong caution against drawing conclusions on the percentages,

which can be misleading as they can be based on relatively small numbers of consultations.

A participation rate of zero per cent may imply that there were no children eligible for the Key Ages and Stages consultation.

MCH Flexible Capacity Activities, MIST and Immunisations

Statewide

| | | FI | exible capacity | | MIS | ST | | |
|------------------------|--------|--|-----------------------------|----------------------------|------------------------|----------|-----------|-------------------------------|
| Region | Groups | Community Strengthening Activities | Additional Consultations | Telephone Consultations | Total Service Hours | Attended | Referrals | Opportunistic Immunisation |
| North-Eastern Victoria | 2,970 | 2,867 | 41,222 | 37,631 | 33,882 | 10,114 | 653 | 767 |
| North-Western Victoria | 3,260 | 6,170 | 35,176 | 32,262 | 41,149 | 10,697 | 517 | 44 |
| South-Eastern Victoria | 4,740 | 2,416 | 52,500 | 67,671 | 63,542 | 13,001 | 587 | 138 |
| South-Western Victoria | 3,035 | 2,879 | 42,891 | 38,458 | 44,510 | 12,186 | 515 | 7,960 |
| Total for Victoria | 14,005 | 14,332 | 171,789 | 176,022 | 183,083 | 45,998 | 2,272 | 8,909 |

Note: "MIST" stands for Melbourne Initial Screening Test. The maternal and child health nurses perform vision screening as part of a general developmental assessment, for 3.5 to 4.5-year old children.

Count of Reasons for Counselling (Child Health and Wellbeing)

Statewide

| Region | Visual | Auditory | Communica- tion | DDH | Congenital Anomaly | Growth | Development | Potentially Disabling Condition | Accident | Illness | Nutrition Altered | Dental/ Oral | Total |
|------------------------|--------|----------|--------------------|-------|-----------------------|--------|-------------|---------------------------------------|----------|---------|----------------------|-----------------|---------|
| North-Eastern Victoria | 221 | 253 | 2,114 | 838 | 156 | 3,965 | 6,260 | 2,495 | 178 | 1,707 | 6,438 | 1,565 | 26,190 |
| North-Western Victoria | 498 | 699 | 2,033 | 959 | 296 | 7,111 | 8,043 | 2,588 | 557 | 1,626 | 5,115 | 2,328 | 31,853 |
| South-Eastern Victoria | 1,692 | 1,517 | 5,544 | 2,015 | 539 | 11,134 | 11,938 | 2,930 | 261 | 1,587 | 5,886 | 5,160 | 50,203 |
| South-Western Victoria | 425 | 537 | 1,654 | 830 | 287 | 2,533 | 4,037 | 2,305 | 55 | 1,290 | 5,628 | 1,082 | 20,663 |
| Total for Victoria | 2,836 | 3,006 | 11,345 | 4,642 | 1,278 | 24,743 | 30,278 | 10,318 | 1,051 | 6,210 | 23,067 | 10,135 | 128,909 |

Note: MCH nurses have a counselling role as a part of the therapeutic care to the child and parents, to assist with their concerns and take an active part to plan and engage in further actions if necessary.

This table refers to 'instances' of counselling, for example, a parent may have more than one instance of counselling during a consultation.

[&]quot;DDH" stands for Developmental Dysplasia of the Hip

Count of Reasons for Counselling (Mother or Family)

Statewide

| Region | Emotional | Physical | Social Interaction Impaired | Domestic Violence | Family Planning | Total |
|------------------------|-----------|----------|--------------------------------|----------------------|--------------------|--------|
| North-Eastern Victoria | 6,884 | 3,495 | 540 | 377 | 364 | 11,660 |
| North-Western Victoria | 7,713 | 5,471 | 775 | 453 | 780 | 15,192 |
| South-Eastern Victoria | 11,100 | 9,566 | 1,529 | 359 | 1,175 | 23,729 |
| South-Western Victoria | 6,449 | 4,804 | 944 | 372 | 470 | 13,039 |
| Total for Victoria | 32,146 | 23,336 | 3,788 | 1,561 | 2,789 | 63,620 |

Note: MCH nurses have a counselling role as a part of the therapeutic care to the parents, to assist with their concerns and take an active part to plan and engage in further actions if necessary.

This table refers to 'instances' of counselling, for example, a parent may have more than one instance of counselling during a consultation.

Count of Reasons for Referral (Child Health and Wellbeing)

Statewide

| Region | Visual | Auditory | Communica- tion | DDH | Congenital Anomaly | Growth | Development | Potentially Disabling Condition | Accident | Illness | Nutrition Altered | Dental/ Oral | Protective Notification | Total |
|------------------------|--------|----------|--------------------|-------|-----------------------|--------|-------------|---------------------------------|----------|---------|----------------------|-----------------|----------------------------|--------|
| North-Eastern Victoria | 599 | 1,352 | 1,498 | 2,457 | 258 | 813 | 2,018 | 1,462 | 36 | 847 | 535 | 677 | 60 | 12,612 |
| North-Western Victoria | 959 | 1,572 | 1,750 | 2,385 | 352 | 849 | 2,482 | 1,691 | 24 | 650 | 621 | 1,119 | 90 | 14,544 |
| South-Eastern Victoria | 976 | 1,229 | 1,443 | 2,525 | 304 | 843 | 2,145 | 1,943 | 11 | 646 | 501 | 895 | 73 | 13,534 |
| South-Western Victoria | 976 | 1,810 | 1,877 | 2,613 | 235 | 927 | 2,549 | 2,205 | 38 | 353 | 634 | 793 | 114 | 15,124 |
| Total for Victoria | 3,510 | 5,963 | 6,568 | 9,980 | 1,149 | 3,432 | 9,194 | 7,301 | 109 | 2,496 | 2,291 | 3,484 | 337 | 55,814 |

Note: A referral implies that counselling has also occurred at the time of the referral consultation. A Referral is a more formal process, where a written letter, a phone call to the referral agency is made.

This table refers to 'instances' of referrals, for example, a parent may have more than one referral during a consultation.

[&]quot;DDH" stands for Developmental Dysplasia of the Hip

Count of Reasons for Referral (Mother or Family)

Statewide

| Region | Emotional | Physical | Social Interaction Impaired | Domestic Violence | Family Planning | Total |
|------------------------|-----------|----------|--------------------------------|----------------------|--------------------|--------|
| North-Eastern Victoria | 1,524 | 1,128 | 468 | 145 | 29 | 3,294 |
| North-Western Victoria | 1,563 | 1,291 | 415 | 108 | 94 | 3,471 |
| South-Eastern Victoria | 1,281 | 893 | 272 | 129 | 48 | 2,623 |
| South-Western Victoria | 1,622 | 1,311 | 453 | 99 | 25 | 3,510 |
| Total for Victoria | 5,990 | 4,623 | 1,608 | 481 | 196 | 12,898 |

Note: A referral implies that counselling has also occurred at the time of the referral consultation. A Referral is a more formal process, where a written letter, a phone call to the referral agency is made. This table refers to 'instances' of referrals, for example, a parent may have more than one referral during a consultation.

Total Participation Rates for Attendance (Non-ATSI and ATSI)

Statewide

| 0 to 1 Years Old | | | 1 to | 1 to 2 Years Old | | | 2 to 3 Years Old | | | 3 to 4 Years Old | | | 4 to 5 Years Old | | | 5 to 6 Years Old | | |
|------------------------|---------------|-------|--------|------------------|------|--------|------------------|------|--------|------------------|------|--------|------------------|------|--------|------------------|-----|--|
| Region | Active Tota | ıl | Active | Total | | Active | Total | | |
| | Record Record | d % | Record | Record | % | Record | Record | % | Record | Record | % | Record | Record | % | Record | Record | % | |
| | Cards Card | S | Cards | Cards | | Cards | Cards | | |
| North-Eastern Victoria | 14,757 14,757 | 100.0 | 14,358 | 15,299 | 93.8 | 13,346 | 15,897 | 84.0 | 5,669 | 15,685 | 36.1 | 7,960 | 15,818 | 50.3 | 565 | 16,013 | 3.5 | |
| North-Western Victoria | 17,457 17,457 | 100.0 | 16,766 | 18,376 | 91.2 | 13,874 | 17,941 | 77.3 | 5,786 | 17,577 | 32.9 | 8,527 | 17,182 | 49.6 | 813 | 17,189 | 4.7 | |
| South-Eastern Victoria | 21,754 21,754 | 100.0 | 20,904 | 22,613 | 92.4 | 17,961 | 22,708 | 79.1 | 7,555 | 22,457 | 33.6 | 10,217 | 22,049 | 46.3 | 899 | 22,246 | 4.0 | |
| South-Western Victoria | 21,644 21,644 | 100.0 | 20,017 | 22,262 | 89.9 | 16,767 | 22,581 | 74.3 | 6,725 | 21,851 | 30.8 | 9,811 | 21,181 | 46.3 | 832 | 21,283 | 3.9 | |
| Total for Victoria | 75,612 75,612 | 100.0 | 72,045 | 78,550 | 91.7 | 61,948 | 79,127 | 78.3 | 25,735 | 77,570 | 33.2 | 36,515 | 76,230 | 47.9 | 3,109 | 76,731 | 4.1 | |

Note: "Active" is defined as a child having attended the Maternal & Child Health Service at least once during the financial year.

[&]quot;Record cards" or "Record" refers to individual child health history.

[&]quot;ATSI" refers to a person self-reporting as being of Aboriginal and/or Torres Strait Islander origin.

Breastfeeding Counts

| Region | Total Record Cards | | Fully Brea | astfed | | Partially Breastfed | | | | | | |
|------------------------|-----------------------|--------------|------------|-------------|-------------|---------------------|------------|-------------|-------------|--|--|--|
| | Drawer 2 | On Discharge | At 2 weeks | At 3 Months | At 6 Months | On Discharge | At 2 weeks | At 3 Months | At 6 Months | | | |
| North-Eastern Victoria | 15,299 | 11,110 | 10,497 | 8,636 | 5,966 | 2,809 | 2,757 | 1,940 | 2,423 | | | |
| North-Western Victoria | 18,376 | 13,097 | 12,003 | 9,374 | 6,615 | 3,244 | 3,298 | 2,243 | 2,429 | | | |
| South-Eastern Victoria | 22,613 | 16,654 | 14,784 | 11,183 | 6,961 | 3,792 | 4,299 | 3,329 | 4,107 | | | |
| South-Western Victoria | 22,262 | 16,353 | 14,625 | 11,164 | 7,167 | 3,479 | 3,863 | 2,739 | 3,293 | | | |
| Total for Victoria | 78,550 | 57,214 | 51,909 | 40,357 | 26,709 | 13,324 | 14,217 | 10,251 | 12,252 | | | |

Breastfeeding Rates

| | Total Record Cards | | Fully Brea | astfed | | Partially Breastfed | | | | | | |
|------------------------|-----------------------|-------------------|-----------------|------------------|------------------|---------------------|-----------------|------------------|------------------|--|--|--|
| Region | Drawer 2 | On Discharge % | At 2 weeks % | At 3 Months % | At 6 Months % | On Discharge % | At 2 weeks % | At 3 Months % | At 6 Months % | | | |
| North-Eastern Victoria | 15,299 | 72.6 | 68.6 | 56.4 | 39.0 | 18.4 | 18.0 | 12.7 | 15.8 | | | |
| North-Western Victoria | 18,376 | 71.3 | 65.3 | 51.0 | 36.0 | 17.7 | 17.9 | 12.2 | 13.2 | | | |
| South-Eastern Victoria | 22,613 | 73.6 | 65.4 | 49.5 | 30.8 | 16.8 | 19.0 | 14.7 | 18.2 | | | |
| South-Western Victoria | 22,262 | 73.5 | 65.7 | 50.1 | 32.2 | 15.6 | 17.4 | 12.3 | 14.8 | | | |
| Total for Victoria | 78,550 | 72.8 | 66.1 | 51.4 | 34.0 | 17.0 | 18.1 | 13.1 | 15.6 | | | |

Total Number of Aboriginal and/or Torres Strait Islander Child Record Cards vs Total Non-ATSI and ATSI Statewide

| | 0 to 1 Y | 0 to 1 Years Old | | 1 to 2 Years Old | | 2 to 3 Years Old | | 3 to 4 Years Old | | 4 to 5 Years Old | | 5 to 6 Years Old | | Total | | |
|------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|-----|--|
| Region | ATSI Total Record Cards | Total Record Cards | % | |
| North-Eastern Victoria | 241 | 14,757 | 224 | 15,299 | 232 | 15,897 | 225 | 15,685 | 208 | 15,818 | 221 | 16,013 | 1,351 | 93,469 | 1.4 | |
| North-Western Victoria | 379 | 17,457 | 345 | 18,376 | 379 | 17,941 | 332 | 17,577 | 318 | 17,182 | 327 | 17,189 | 2,080 | 105,722 | 2.0 | |
| South-Eastern Victoria | 288 | 21,754 | 326 | 22,613 | 283 | 22,708 | 268 | 22,457 | 271 | 22,049 | 248 | 22,246 | 1,684 | 133,827 | 1.3 | |
| South-Western Victoria | 311 | 21,644 | 306 | 22,262 | 312 | 22,581 | 286 | 21,851 | 262 | 21,181 | 239 | 21,283 | 1,716 | 130,802 | 1.3 | |
| Total for Victoria | 1,219 | 75,612 | 1,201 | 78,550 | 1,206 | 79,127 | 1,111 | 77,570 | 1,059 | 76,230 | 1,035 | 76,731 | 6,831 | 463,820 | 1.5 | |

[&]quot;Record cards" or "Record" refers to individual child health history.

Participation Rates for Aboriginal and/or Torres Strait Islander Children

Statewide

| 0 to 1 Years Old | | 1 to 2 Years Old | | 2 to 3 Years Old | | 3 to 4 Years Old | | 4 to 5 Years Old | | 5 to 6 Years Old | | Total | | | |
|------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|------|
| Region | Active ATSI | ATSI Total Record Cards | % |
| North-Eastern Victoria | 241 | 241 | 195 | 224 | 158 | 232 | 71 | 225 | 88 | 208 | 11 | 221 | 764 | 1,351 | 56.6 |
| North-Western Victoria | 377 | 379 | 256 | 345 | 205 | 379 | 98 | 332 | 109 | 318 | 17 | 327 | 1,062 | 2,080 | 51.1 |
| South-Eastern Victoria | 287 | 288 | 273 | 326 | 183 | 283 | 80 | 268 | 105 | 271 | 22 | 248 | 950 | 1,684 | 56.4 |
| South-Western Victoria | 310 | 311 | 254 | 306 | 187 | 312 | 86 | 286 | 103 | 262 | 12 | 239 | 952 | 1,716 | 55.5 |
| Total for Victoria | 1,215 | 1,219 | 978 | 1,201 | 733 | 1,206 | 335 | 1,111 | 405 | 1,059 | 62 | 1,035 | 3,728 | 6,831 | 54.6 |

Note: This participation rate represents children aged from birth until six years with the last key ages and stages visit at 3.5 years.

For LGAs reporting a total of five or less ATSI children, counts will be reported as 'np' (not published) to ensure confidentiality.

[&]quot;Active" is defined as a child having attended the Maternal & Child Health Service at least once during the financial year.

[&]quot;ATSI" refers to a person self-reporting as being of Aboriginal and/or Torres Strait Islander origin. "Record cards" or "Record" refers to individual child health history.